




PAULA - TECHNICAL SPECIFICATIONS



Main Particulars

LENGTH OVERALL	190.0 ft	57.9 m
BEAM OVERALL	34.0 ft	10.4 m
DEPTH	13.0 ft	4.0 m
LIGHT DRAFT	6.50 ft	1.98 m
LOADED DRAFT	10.4 ft	3.2 m
DEADWEIGHT	490 Lt	498 Mt
TONNAGE (US)	GRT 98	
TONNAGE (US)	NRT 66	
TONNAGE (ITC)	GRT 496	
TONNAGE (ITC)	NRT 148	

Cargo Deck

TONNAGE	450.0 Lt	457.2 Mt
STRENGTH	532.5 Lb/ft	2.6 Mt/m
LENGTH	122.4 ft	37.3 m
WIDT	H 27.9 ft	8.5 m
CLEAR AREA	3,430.5 ft	318.7 m

Capacities

FUEL OIL	60,495 USG	229 m
POTABLE WATER	63,428 USG	240 m
DRILL WATER	63,428 USG	240 m

Discharge Rates

FUEL OIL	12,944 USG/hr.	49 m /hr.
DRILL WATER	42,003 USG/hr.	159 m /hr.



34th HaOrgim st. Ashdod, Israel 7760939
Office +972-8-8562295 | Fax +972-8-8533022
Email office@mdanchor.co.il | www.danchor.co



**ANYTHING
ANYTIME
ANYWHERE**



>>>> >>> >>>>



Deck and Anchor Handling

Performance

Fuel Consumption



**ANYTHING
ANYTIME
ANYWHERE**



>>>> >>> >>>>



CABINS	6
BERTHS	10
PASSENGERS	40
SINGLE CABINS	2
DOUBLE CABINS	4
4 PERSON CABINS	2
CREW MESS	1
LOUNGES	1

Rescue Capabilities

TRANSFER BASKET	Rescue Davit and Basket
------------------------	--------------------------------

Electronics & Controls

DYNAMIC POSITIONING	Class 2
DP SYSTEM	Kongsberg KPOS w/ Cjoy
DP REFERENCE #1	GPS Furuno GP 1720C / NT
GYROS	2 Gyro Compass
ECDIS	Coastal Explorer
RADAR #1	Furuno 2127 (ARPA Enabled)
RADAR #2	Furuno 2127 (ARPA Enabled)
RADIOS	2 x portable VHF & 3 x Icom M504
AIS	Furuno FA150
DEPTH SOUNDER	1 - Datamarine 3001
NAVTEX	Furuno NX 700



34th HaOrgim st. Ashdod, Israel 7760939
Office +972-8-8562295 | Fax +972-8-8533022
Email office@mdanchor.co.il | www.danchor.co





2 - monitors @ 5300 GPM each-remote control

5 - 12 man floats

Documentation

A1 HSC Crewboat AMS DPS-2

Marshall Islands

2009



34th HaOrgim st. Ashdod, Israel 7760939
Office +972-8-8562295 | Fax +972-8-8533022
Email office@mdanchor.co.il | www.danchor.co



**ANYTHING
ANYTIME
ANYWHERE**